

State of Washington
AMENDED
REPORT OF EXAMINATION
FOR WATER RIGHT APPLICATION

File NR S2-30648
WR Doc ID 6367471

PRIORITY DATE
12/16/2014

WATER RIGHT NUMBER
S2-30648

MAILING ADDRESS
US FISH & WILDLIFE SERVICE
911 NE 11TH AVENUE
PORTLAND OR 97232-4181

SITE ADDRESS (IF DIFFERENT)
U.S. FISH & WILDLIFE SERVICE
56961 STATE ROUTE 14
COOK, WA 98605

Quantity Authorized for Withdrawal or Diversion

WITHDRAWAL OR DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.1	CFS	20.6

Purpose

PURPOSE	WITHDRAWAL OR DIVERSION RATE			ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	
Domestic multiple	0.09	0.01	CFS	2.4	0.0	01/01 - 12/31
Fish propagation	0.09	0.01	CFS	18.2	0.0	01/01 - 12/31
TOTAL	0.09	0.01	CFS	20.6	0.0	01/01 - 12/31

REMARKS

This water right shares a point of diversion with Water Right Certificate 5760. Water for domestic multiple and fish propagation purposes are conveyed through a single distribution system. The instantaneous quantities for each purpose are the same.

IRRIGATED ACRES		PUBLIC WATER SYSTEM INFORMATION	
ADDITIVE	NON-ADDITIVE	WATER SYSTEM ID	CONNECTIONS
0.0	0.0	FW415M	11

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
SKAMANIA	UNNAMED SPRING	LITTLE WHITE SALMON RIVER	29-WIND-WHITE SALMON

SOURCE FACILITY/DEVICE	PARCEL	TWP	RNG	SEC	QQ Q	LATITUDE	LONGITUDE
UNNAMED SPRING	03092600020000	03N	09E	26	NENW	45°43'27"N	121°38'42"W

Datum: NAD83/WGS84

Place of Use (See Attached Map)

PARCELS (NOT LISTED FOR SERVICE AREAS)

Parcel Nos. 03092600020000, 03092600030000, 03092600060000, 03092600070000, 03092600030300, and 03092600030200, all within portions of Section 26 of T3N, R9E, Skamania County

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

See attached map.

Proposed Works

Water for multiple domestic supply and fish propagation is diverted from a spring located approximately ¼ mile north of the main hatchery buildings through an existing 6-inch diameter pipeline along Cook Underwood Road to a 30,000-gallon water tank where the water is treated. From there, the water goes through a distribution system to each of the buildings and housing units that utilize domestic water.

Development Schedule

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
January 30, 2017	January 30, 2019	January 30, 2021

Measurement of Water Use

How often must water use be measured?	Monthly
How often must water use data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Withdrawal (gpm or cfs)

Provisions

Measurements, Monitoring, Metering and Reporting

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use," WAC 173-173, which describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements. Approved measuring devices shall be installed and maintained at the following locations:

- On the main conveyance pipeline that carries domestic water to the Little White Salmon Hatchery facility buildings after it tees off from the main pipeline from treatment and storage
- On the main conveyance pipeline that carries domestic water to the Little White Salmon Hatchery employee houses after the service vault that diverts water to the Quezada and Roeder residences.

Recorded water use data shall be submitted via the Internet. To set up an Internet reporting account, contact the Ecology Southwest Regional Office. If you do not have Internet access, you can still submit hard copies by contacting the Regional Office for forms to submit your water use data.

Department of Health Requirements

Prior to any new construction or alterations of a public water supply system, the State Board of Health rules require public water supply owners to obtain written approval from the Office of Drinking Water of the Washington State Department of Health. Please contact the Office of Drinking Water at Southwest Drinking Water Operations, 243 Israel Road S.E., PO Box 47823, Tumwater, WA 98504-7823, (360) 236-3030.

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Proof of Appropriation

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

Schedule and Inspections

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

Findings of Facts

Upon reviewing the investigator's report, I find all facts, relevant and material to the subject application, have been thoroughly investigated. Furthermore, I concur with the investigator that water is available from the source in question; that there will be no impairment of existing rights; that the purpose(s) of use are beneficial; and that there will be no detriment to the public interest.

Therefore, I ORDER approval of Application No. S2-30648, subject to existing rights and the provisions specified above.

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.

File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW Ste 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Signed at Olympia, Washington, this 21st day of April 2015.


 Michael J. Gallagher, Section Manager

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

BACKGROUND

Ecology's December 2014 decision to approve the United State Fish and Wildlife's (USFWS) Water Right S2-30600 resulted in an appeal to the Pollution Control Hearings Board (PCHB). A subsequent review by Ecology of the Report of Exam (ROE) for Water Right S2-30600 identified several issues with the structure of the water right not associated with the appeal. The issues with the ROE are as follows:

- The portion of 0.1 cfs and 20.6 acre-feet per year (ac-ft/yr) for Multiple Domestic Supply under Water Right Application S2-30600 using the USFWS's domestic water system is not for a new appropriation of water. This portion is wholly sourced as non-additive water from the irrigation portion of existing Water Right Certificate 5670 issued in 1950. Water Right Certificate 5670 authorizes the 0.11 cfs for the irrigation of 10 acres and multiple domestic supply. A site visit conducted on September 25, 2014, conversations with USFWS facility staff, and aerial photography showed that no more than two acres of the originally authorized 10 acres under Water Right Certificate 5670 have been consistently irrigated in at least the last five years. The remaining non-irrigated acres have been effectively relinquished due to non-use.
- Water sourced for Multiple Domestic Supply by Water Right Application S2-30600 proposes to use water from Water Right Certificate 5670 that was previously perfected as water for irrigation. The purpose of use for a perfected water right cannot be changed using a new water right application.
- Water sourced for Multiple Domestic Supply by Water Right Application S2-30600 proposes to use water previously perfected under a place of use of 40 acres and enlarge it to 380 acres using a new water right application.
- The Multiple Domestic Supply purpose of Water Right Application S2-30600 incorrectly combines water usage from the employee housing and hatchery facility. Ecology considers all water used at the hatchery facility to be for Fish Propagation purposes. These two water uses need to be separated on the cover sheet to reflect actual purposes of use.
- The ROE for Water Right Application S2-30600 does not differentiate which purpose of use each source is associated.
- The metering requirements presented in the ROE for Water Right Application S2-30600 do not specify the placement and quantity of meters required on the domestic water system.
- Parcels 03092600030300 and 03092600030200 were not included in the place of use of the original ROE but were within the TRS listed in Water Right Application S2-30600.

Ecology Water Resources staff initiated Water Right S2-30648 as an administrative solution to the issues with S2-30600. The domestic water source and associated water quantities have now been removed from S2-30600 and put into S2-30648. The following list shows the changes integrated into Water Right S2-30648:

- 0.01 cfs of Water Right S2-30648 will be non-additive to Water Right Certificate 5760

- *The 20.6 ac-ft/yr allotted to the domestic water system has been separated into multiple domestic and fish propagation categories*
- *The metering requirement indicates where the USFWS will need to install and maintain water meters*
- *Parcels 03092600030300 and 03092600030200 are now included into the place of use for S2-30648 and a new map has been created to reflect the actual place of use.*

The original ROE for Water Right S2-30600 will be used as the ROE for this water right since there are no remaining factual issues with the findings of the investigation and Ecology is maintaining the recommended annual quantities of water. A new cover sheet will accompany the original ROE that accurately reflects this new water right. The only other modifications to this ROE are the addition of public comments received during the draft posting of S2-30648 for public comment and correction to the recommended quantities of water by this ROE.

Cost Reimbursement

This application is being processed under a cost reimbursement agreement between the applicant and the Department of Ecology (Ecology). This report has been prepared by HDR Engineering, Inc. (HDR) under Ecology Cost-Reimbursement Agreement No. HDR009 (Master Contract No. C1000189). The Work Assignment for this project was authorized by Ecology on March 19, 2013.

Project Description/Intent of Application

This application was filed by the U.S. Fish & Wildlife Service (applicant) for their existing Little White Salmon Fish Hatchery in Skamania County. This application is for two different sources: one from an un-named spring for multiple domestic supply for the hatchery, administrative facilities, and residences, and the other source for water used from an un-named creek designated by the applicant as Hillside Spring for fish hatchery usage.

Multiple Domestic Supply

One intent of this application is to document the current place of use for the water usage for domestic supply since the place of use for domestic supply has expanded over the years as more hatchery buildings and housing units have been constructed.

Water is diverted from an un-named spring located approximately ¼ mile north of the main hatchery buildings through a 6-inch pipeline, to a storage tank and treatment facilities and then to a distribution system to six residences and all the hatchery-related facilities that use water for multiple domestic supply.

Fish Hatchery Usage

Although the water from the Hillside Spring source that is used for fish hatchery usage was the initial source that was used for this fish hatchery which began operation in 1896, no water right has ever been issued for this source. Therefore, another intent of this application is to obtain a water right for this long-standing use of water from this source for fish hatchery usage. In addition, the applicant's intention is to document that the entire property owned by the applicant is the place of use for the fish hatchery water usage. Since there is no existing water right for this source, it is considered to be an additive water right if approved.

The water for fish hatchery usage is diverted from an un-named stream (Hillside Spring) into a collection box located approximately 100 feet west of the hatchery administration building and approximately 200 feet upstream of the confluence with the Little White Salmon River, through an existing 14-inch diameter pipeline to a mixing box and then to the hatchery buildings, with return flow water being returned to the Little White Salmon River. The diverted water from this water source, which is called Hillside Spring by the applicant, goes into a mixing box, which also receives water from three other sources: Bailey Spring, Roadside Spring, and the primary source, which is the Little White Salmon River.

The annual quantities applied for as shown in the following table is based on a continuous diversion of the two instantaneous quantities that were applied for.

Table 1. Summary of Application No. S2-30600

Attributes	Proposed
Applicant	U.S. Fish & Wildlife Service
Application Received	August 6, 2012
Instantaneous Quantity (Qi)	0.1 cfs for multiple domestic supply 1.5 cfs for fish hatchery usage
Annual Quantity (Qa)	73 acre-feet per year (AF/YR) for domestic supply 1,095 AF/YR for fish hatchery usage
Source	Spring/ Unn. stream tributary to L. White Salmon R.
Point of Diversion	NENW and SENW Section 26, T 3N, R 9E
Purpose of Use	Multiple domestic supply, fish hatchery usage
Period of Use	Year round
Place of Use	Parcel Nos. 03092600020000, 03092600030000, 03092600060000, and 03092600070000, all within portions of Section 26, T. 3N, R 9E.

Legal Requirements for Application Processing

The following requirements must be met prior to processing a water right application:

Public Notice

Public notice of the application was given in the Skamania County Pioneer, published in Skamania County on September 5 and September 12, 2012. There were no comments or protests received during the 30-day protest period following the last date of publication.

State Environmental Policy Act (SEPA)

A water right application is subject to a SEPA threshold determination (i.e., an evaluation whether there are likely to be significant adverse environmental impacts) if any one of the following conditions are met.

- (a) It is a surface water right application for more than 1 cubic feet per second, unless that project is for agricultural irrigation, in which case the threshold is increased to 50 cubic feet per second, so long as that irrigation project will not receive public subsidies
- (b) It is a groundwater right application for more than 2,250 gallons per minute
- (c) It is an application that, in combination with other water right applications for the same project, collectively exceed the amounts above
- (d) It is a part of a larger proposal that is subject to SEPA for other reasons (e.g., the need to obtain other permits that are not exempt from SEPA)
- (e) It is part of a series of exempt actions that, together, trigger the need to do a threshold determination, as defined under WAC 197-11-305.

This application is for 1.6 cfs so it does exceed the 1 cfs in (a) above, so it therefore is not categorically exempt from SEPA based on this criteria. The applicant was contacted related to the SEPA requirement since this application is not categorically exempt from SEPA.

The applicant stated in their response that since they are a federal agency, they are required to comply with the National Environmental Policy Act (NEPA) provisions specified in the Code of Federal Regulations (CFR). The applicant provided a copy of pertinent provisions of the CFR, including 40 CFR 1508.4(1), where Categorical Exclusions (CX) for NEPA are addressed and which states that "Categorical exclusions are defined as a group of actions that would have no significant individual or cumulative effect on the quality of the human environment and, for which in the absence of extraordinary circumstances, neither an environmental assessment nor an environmental impact statement is required."

Based on the actions associated with this application which is an application for an existing use of water, with no additional water planned to be used than what is presently being used, and with the majority of the water for this application being non-consumptive, the applicant has determined that this action is a categorical exclusion under NEPA.

INVESTIGATION

Site Visit

The following information was obtained from the applicant, Ecology, and a site inspection conducted by Jerry Louthain of HDR on May 14, 2013 with the applicant's representative, Casey Risley, who is the Hatchery Manager for this facility. Additional information relating to this application was provided by the applicant following the site visit.

Other Water Rights Appurtenant to the Proposed Place of Use

The applicant has a number of existing water rights for this fish hatchery. Information on these water rights is shown in the following table.

Table 2. Summary of Existing Water Rights

Water Right	Priority Date	Qi	Qa	Source	Purpose
SW Cert 1193	12/12/1921	4.456 cfs	N/A	L. W. Salmon	Fish Prop.
SW Cert 1385	6/12/1939	15.6 cfs	N/A	L. W. Salmon	Fish Prop.
SW Cert 4505	3/8/1949	34.4 cfs	N/A	L. W. Salmon	Fish Prop.
SW Cert 5670	9/19/1950	0.11 cfs	N/A	Unn. spring	Domestic sup. Irrig. Of 10A.
SW Cert 7068	7/20/1956	18.0 cfs	N/A	L. W. Salmon	Fish Prop.
SW Cert 8220	6/20/1960	3.0 cfs	N/A	Unn. springs	Fish Prop.
G2-29251C	7/19/1995	300 gpm	323 (non-cons)	Well	Fish Prop.

Surface Water Certificate No. 5670 has the same spring source as the portion of this application for multiple domestic supply. The instantaneous quantity (Qi) of 0.11 cfs for SW Certificate 5670 is essentially the same as the subject application, so any Qi approved under this application for multiple domestic supply would be non-additive. Since there is no annual quantity limitation shown on SW Certificate No. 5670, any annual quantity approved for multiple domestic supply under this application would also be considered as non-additive.

The subject application was filed for multiple domestic supply since the current place of use for domestic supply covers a much larger area than the place of use described as the NW ¼ SW ¼ for SW Certificate 5670 when it was issued in 1950. The current place of use for domestic supply includes several parcel numbers which total approximately 380 acres, as compared to the 40 acres described as the place of use for SW Certificate 5670.

The irrigation portion of SW Certificate 5670 is for irrigation of lawns and garden areas for the residences and the common areas around the hatchery buildings. A separate pipeline of untreated water from this same spring source is used for distribution of irrigation water to these areas.

All of the other water rights listed above are for different sources than the two sources associated with this application.

History of Water Use

Water has been used every year since the operation of this fish hatchery began in 1896.

The applicant provided a copy of their meter reading records of daily water usage since April 2003 for the domestic supply source. From these records, the average annual water usage for the 8-year period between December 2003 and December 2011 was 60,280,491 gallons, which is equivalent to 18.5 acre-

feet per year. The maximum annual water usage during this period was 6,725,332 gallons between December 2006 and December 2007. This is equivalent to 20.6 acre-feet per year.

The applicant has no records of the rate of diversion from the un-named spring for domestic supply. Only limited records are available for the instantaneous quantity diverted from Hillside Spring for fish hatchery usage. The applicant stated that the applied-for diversion rate of 1.5 cfs, which is equivalent to approximately 675 gallons, is the maximum recorded rate of diversion from the Hillside Spring source. As stated above, there are three other sources of water used for fish propagation, with the principal source being the Little White Salmon River.

Table 2 shows the existing water rights for this hatchery from the Little White Salmon and other un-named springs. These two other sources and the Hillside Springs source for this application make up the three sources that are used in combination for the hatchery. Since there is no existing water right for the Hillside Spring source, any instantaneous amount approved under this application would be additive to the existing water rights.

As stated above, the water usage for fish propagation is non-consumptive, since this water is all returned to the Little White Salmon River.

Current Use and Proposed Water Use

The current use is described above and is the same as the proposed water use. No additional use of water is planned at this time.

Impairment Considerations

There are no other surface or ground water rights in the vicinity that could be impaired by this water use, since this water use is essentially at the mouth of the Little White Salmon River drainage area. The reach of this drainage area that is downstream of this existing water use is in a pool area of the Columbia River, known as Drano Lake. There are no existing downstream water users in the Little White Salmon River drainage area.

Beneficial Use

The use of water for multiple domestic supply and fish hatchery purposes is defined in statute as beneficial uses of water (RCW 90.54.020(1)).

Public Interest Considerations

Phil Crane of Ecology's Southwest Regional Office had an email exchange in June 2012 with Steve Boessow, Washington State Department of Fish and Wildlife (WDFW) Instream Flow Biologist, to determine if there were any concerns by WDFW related to this application. Mr. Boessow concluded that there is likely no impact to the fisheries resource as a result of using water based on this application, since the proposed water source is non-fish bearing and drains directly to the Little White Salmon River at Drano Lake and the Columbia River, which backs up water near this hatchery. There were also no protests filed or objections made to the approval of this application.

Therefore, approval of this application is not considered to be detrimental to the public welfare.

Four Statutory Tests

This Report of Examination evaluates the application based on the information presented above. To approve the application, Ecology must issue written findings of fact and determine that each of the following four requirements of RCW 90.03.290 has been satisfied:

1. The proposed appropriation would be put to a beneficial use
2. Water is available for appropriation
3. The proposed appropriation would not impair existing water rights
4. The proposed appropriation would not be detrimental to the public welfare.

PUBLIC COMMENTS

Five comments were submitted by Mr. Rod Roeder regarding this Report of Examination for S2-30648. The comments are presented below.

1. Mr. Roeder alleges that an abandoned non-potable six-inch irrigation water line on the USFWS water system is continuously leaking water. This topic was brought up to the facility staff during the site visit for this application. The facility staff was unaware of a potential leak and said they will follow up on it. Ecology will track this issue throughout the permit phase of this water right if approved.
2. Mr. Roeder states that the number of connections on the ROE cover sheet should be 10 connections, not 11. He counts five hatchery employee residential connections and five connections at the hatchery facility. Ecology is deferring to the most current Washington State Department of Health Water Facility Inventory (WFI) sheet. The WFI states there are seven residential connections and four non-residential connections. The seven connections are the five hatchery employee residences, the Roeder residence, and the Quezada residence. The Quezada residence lays two parcels north of Mr. Roeder's residence and directly west across Cook-Underwood Road from the hatchery employee residences. It is connected to the USFWS water system by way of the private distribution line owned by Mr. Roeder, known as the R/Q line.
3. The original ROE for water right application S2-30600 does not discuss the Quezada residence. The parcel occupied by the Quezada's is in fact owned by the United State Government. The Quezada family has an agreement with the United State Government that grants the family rights to reside on the parcel. The absence of the Quezada residence on this water right was a ministerial error and has been amended to include the Quezada residence in the place of use.
4. Mr. Roeder suggests that Water Right S2-30643, for his own property, should be amended to expand the place of use to include the Quezada residence. The absence of the Quezada residence on this water right was a ministerial error and has been amended to include the Quezada residence in the place of use.

5. Mr. Roeder questions whether any of the five hatchery employee houses that may have been unoccupied for a period over five years should be considered a connection. The number of connections does not have any bearing on whether this water right is approved or denied. The Washington Department of Health regulates the number of connections a water system is approved for. Furthermore, this is a new appropriation of water that will be perfected over time, not a change of a water right where an extent and validity determination must be made to establish the highest amount of water used over the five-year period of lowest water use years.

CONCLUSIONS

The conclusions based on the above investigation are as follow:

1. The proposed appropriation for multiple domestic supply and fish hatchery usage are beneficial uses of water
2. The approved quantities are available for appropriation
3. This new appropriation will not impair senior water rights
4. This new appropriation will not be detrimental to the public welfare.

RECOMMENDATION

Based on the information presented above, the author recommends that this request for a water right be approved in the amounts described below, and within the limitations, and provisions on pages 1 through 3 of this report.

Purpose of Use and Authorized Quantities

The amount of water recommended is a maximum limit and the water user may only use that amount of water within the specified limit that is reasonable and beneficial:


- 0.09 cfs additive and 0.01 cfs non-additive (SWC 5760) and 20.6 acre-ft/yr additive from an unnamed spring for multiple domestic supply (S2-30648)
- 1.5 cfs (non-consumptive) from Hillside Spring for fish hatchery usage (S2-30600)

Point of Diversion:

- 1) Multiple domestic supply-NE ¼ NW ¼ Section 26, Township 3 North, Range9.E.W.M. (S2-30648)
- 2) Fish hatchery -SE ¼ NW ¼ Section 26, Township 3 North, Range9.E.W.M. (S2-30600)

Place of Use: As referenced on Page 2 of this Report of Examination and shown in ATTACHMENT 1.

Report by:




Jerry Louthain, P.E.
HDR Engineering, Inc.

3/20/15

Date

Reviewed by:



Matthew K. Rakow, LG
Ecology Water Resources Program

4-21-2015

Date

If you need this publication in an alternate format, please call Water Resources Program at 360 407-6600. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

ATTACHMENT 1 - Points of diversion and Place of Use for Application No. S2-30648

